

# Kestrel Customer Services

Customer Services are available  
8.30am to 5pm Monday to Friday

Tel: 01724 400500

## Order Related Enquires


Email: [kestrel.sales@kestrelbp.co.uk](mailto:kestrel.sales@kestrelbp.co.uk)

## General Enquiries

Email: [info@kestrelbp.co.uk](mailto:info@kestrelbp.co.uk)

## Estimating Enquiries

Email: [spec@kestrelbp.co.uk](mailto:spec@kestrelbp.co.uk)



# Kestrel®

Rely on us.

Kestrel, Billet Lane, Normanby Enterprise Park,  
Normanby Road, Scunthorpe,  
North Lincolnshire, DN15 9YH.

Tel: 01724 400500

[www.kestrelbp.co.uk](http://www.kestrelbp.co.uk)

April 2024

# Kestrel®

Rely on us.

Issue 12

# Trade guide.

Wide range of white, coloured  
and foiled woodgrain PVC-UE  
roofline boards, window trims,  
cladding planks and decking.



Fascias Soffits Cladding Windowboards Architraves Decking

# Roofline

## ↘ K22

### Bullnosed Fascia Boards x 22mm

22mm board x 150, 175, 200, 225, 250, 300, 355, 405mm (355 and 405 are Double Nosed)



## ↘ KB16

### Bullnosed Fascia Boards x 16mm

16mm board x 150, 175, 200, 225, 250, 405mm (405 is Double Nose)



## ↘ K22 and KB16

### White Accessories Bullnosed Fascia



## ↘ K22


### Foiled Accessories Bullnosed Fascia



## ↘ K16

### Square Fascia Boards x 16mm

16mm board x 150, 175, 200, 225, 250, 300, 355, 400mm (350 and 405 have Double Leg)



## ↘ KF16

### Square Fascia Boards x 16mm

16mm board x 100, 150, 175, 200, 225, 250, 405mm (405 is Double Edged)



KF16/649/250

KF16/650/250


KF16/665/250

- 250mm x 40mm Joint Trim  
- 250mm Int. Corner Trim  
- 250 x 16mm End Cap

## ↘ 605

### Reveal Liner - Fascia Capping Boards x 9mm

9mm board x 110, 135, 160, 185, 210, 235, 260, 310, 415, 450, 605mm



## ↘ K16, KF16 and 605/ Accessories



# Roofline

## ↘ K16, KF16 and 605 Accessories




## ↘ K16 & 605

### Accessories Square Edge Fascias



## ↘ 505

### Reveal Liner - Long Leg Boards x 8mm



## ↘ 505 Accessories



## ↘ 018

### Ogee Fascia Boards x 18mm




18mm board x 150, 175, 200, 225, 250, 405mm (405 is a Double Leg)

## ↘ 018 Accessories



## ↘ 008

### Ogee Fascia Boards x 9mm



## ↘ 008 Accessories



# Roofline

## Image Range Waveline x 16mm

**V-CREST**  
220mm x 16mm  
Convex Ornate



**V-WAVE**  
220mm x 16mm  
Concave Ornate



## 2D Finials

**K714**  
350mm x  
95mm 2D Finial




**K714/060**  
310mm x  
60mm 2D Finial



## 603

Soffit-General Purpose Boards x 9mm



9mm board x 100, 125, 150, 175, 200, 225, 250, 275, 300, 330, 400, 450, 500, 600mm

## 603/F


Soffit Boards - Two Finished Edges x 9mm




9mm board x 100, 150, 175,  
200, 300, 405mm

## 803

Ventilated Soffit Boards x 9mm (10mm Air Gap)



9mm Board x 100, 150, 175, 200, 225, 250, 300, 325, 400, 450, 500, 600mm



## 903

Double Vented Soffit Boards x 9mm (25mm Air Gap)




9mm Board x 200,  
300, 400mm



## PVC-U Clip Lock

Hollow Soffit



**4005**  
400mm x 4 Plank PVCU Clip Lock  
Hollow Soffit  
4005 is a standalone product:  
Cannot be used with any of our  
other hollow soffit boards.

## PVC-U Clip Lock

Hollow Soffit



**HSCL3005**  
300mm Clip Lock Hollow  
Soffit x 3 Plank (5m)  
NB: Not compatible with  
Kestrel PVC-U Push Fit

# Roofline

## ↘ PVC-U Push Fit

Hollow Soffit



**HOLL3005**  
9mm x 300mm Push Fit  
Hollow Soffit  
  
(NB: Not compatible with  
Clip-lock system)

## ↘ Soffit & General Purpose Boards

Accessories



**691**  
H-Section for 603, 803,  
903 and Hollow Soffit

**6915**  
H-Section

**692**  
Soffit Channel for 603,  
803, 903 and Hollow  
Soffit

## ↘ Soffit & General Purpose Boards

Accessories



**662/525**  
Soffit Vent Trim  
(25mm Air Gap)  
x 5 metres

**699**  
Flat Roof  
Edge Trim  
x 9mm

**661/075**  
Fixing Channel  
x 9mm

**693**  
Panel  
Joint Trim

## ↘ Dry Verge

Systems

**VERGE MASTER**



**DVLH and DVRH**

**VERGE WIZARD**



**DVU**

**Verge Top Ridge Caps**



**DVRCR DVRCRCA**

**Dry Verge Fixings**



**DVLHS and DVRHS**



**DVUS**



**DVBEC**

## ↘ Eaves Protection

Ventilation and Eaves Protection Systems



**K708/150**  
K.Shield 263mm Eaves  
Protection System (1.5m)



## ↘ Eaves Protection

Ventilation and Eaves Protection Systems



**UNIOFV**  
Over Fascia Vent  
& Eaves rotector  
(10mm air gap)

**K716**  
Circular  
Soffit Vent


**K713**  
Bird Guard

**K712/1000**  
10mm Vent  
Strip

**K712/025**  
25mm Vent  
Strip

## ↘ 704

Hockey Window - Fascia Capping Boards x 9mm



9mm board x 150, 175, 200, 225, 250, 300, 405mm

## ↘ 704

Accessories



**748/300**  
300mm x 46mm  
Ext.Cover Joint

**753/053**  
53mm  
End Cap

**753/300**  
300mm  
End Cap

**652/010**  
9mm  
Windowboard  
Channel

**652/115**  
Plasterboard  
Channel  
x 11.5mm

**749/300**  
300mm x 40mm  
Cover Joint

# Windowline

## 604

### Bullnosed Window x 9mm Fascia Capping Boards



9mm board x 155, 205, 230, 255, 305, 470mm (470 is Double Edged)

## 604

### Accessories



**653/300**  
300mm  
End Cap

**653/032**  
32mm  
End Cap



**652/504**  
Windowboard  
Channel x 10mm


**656/250**  
250mm x 40mm  
Cover Joint



**659/250**  
300mm  
External  
Corner Joint

## Laminated Windowboards

### 22mm Bullnose



**LWB/W**

**LWB/IOG**

**LWB/PG**

**LWB/SG**

150, 200, 225, 250, 300mm x 5 metre  
600mm x 3 metre or 4.1 metre

## Laminated Windowboards

### Accessories



**LWB/EC/W**  
300mm  
End Cap

**LWB/EC/SG**  
300mm  
End Cap

**LWB/EM/W**  
400mm External  
Mitre

**LWB/JS/W**  
375mm Joint  
Strip

## Trims

### Window Finishing Trims



**607/025**  
25mm x 9mm  
Pencil Round Fillet

**607/028**  
28mm x 6mm  
D-Section

**612**  
28mm x 6mm  
Rectangle

**608/012**  
12mm  
Quadrant

## Trims

### Window Finishing Trims



**608/019**  
218mm Quadrant

**608/512**  
12mm Ogee  
Quadrant

**608/519**  
18mm Ogee  
Quadrant

**609/020**  
20mm x 6mm  
Edge Fillet

## Trims

### Window Finishing Trims



**685**  
25mm x 4mm  
D Section

**686**  
28mm x 6mm  
Edge Fillet

**687**  
15mm x 13mm  
Rectangle

**688**  
30mm x 25mm  
Rectangle

## Trims

### Window Finishing Trims



**689**  
25mm x 20mm  
Rectangle

**613**  
19mm x 19mm  
Square Trim

**610**  
20mm x 15mm  
Unitrim

**611**  
20mm x 15mm  
Varitrim

# Windowline

## Trims

### Window Finishing Trims



**CF50**  
25mm x 25mm  
Flexible Angle

**CF70**  
35mm x 35mm  
Flexible Angle

**CF100**  
50mm x 50mm  
Flexible Angle

## Trims

### Window Finishing Trims



**CF150**  
75mm x 75mm  
Flexible Angle

**CTC015**  
Scotia Self  
Adhesive - 13mm

**CC0012**  
Quadrant Clip  
22 x 16mm

## Flat Back

### Architraves x 5.5mm



**712/045**

**712/065**

**712/095**

45mm, 65mm, 95mm X 5.5mm Flat Back

## Ridge Back

### Architraves x 7mm



**723/040**  
40mm x 7mm Ridge Back  
Pencil Round

**723/100**  
100mm x 7mm Ridge Back  
Pencil Round

7mm Architraves: 40mm, 60mm, 100mm

## Ogee

### Architraves x 18mm



**733/070/5.3**  
70mm x 5.3m

**733/125**  
125mm x 5m

x 18mm Ogee Architraves

## Cills

### PVC-U Cover Cills and End Caps




**CC175**  
CC175 - 175mm  
Cover Cill

**CC240**  
CC240 - 240mm  
Cover Cill

**CE240**  
CE240 - 100mm  
End Cap for CC175  
& CC240

## Angles

### Rigid Angles



**CA180**  
100 x 80mm

**KB1023**  
100 (2mm)  
x 100 (3mm)

**KB2525**  
25 (2mm)  
x 25 (2mm)

**KB423**  
40 (2mm)  
x 30 (3mm)

**KB523**  
50 (2mm)  
x 40 (3mm)

## Angles

### Rigid Angles



**KB623**  
60 (2mm)  
x 40 (3mm)

**KA3232**  
32mm x  
32mm x  
1.3mm

**KA5050**  
50mm x  
50mm x  
1.3mm

**KA2525**  
25mm x  
25mm x  
1.3mm

**KA4040**  
40mm x  
40mm x  
1.3mm

**KA100100**  
100mm x 100mm  
x 2mm




# Cladding

## Cladding 670 Range



**670/150**  
150mm Shiplap Cladding  
(Available in 5/6 metres)

## Cladding 671 Range



**671/100**  
100mm Open V Joint Cladding  
(Available in 5 metres)

## Cladding 670 and 671 Accessories



**5506**  
Drip Trim



**675**  
Int. Corner Trim



**676**  
Cover Joint Trim

## Cladding 670 and 671 Accessories



**677**  
Ext. Corner  
Joint Trim



**678**  
150mm  
Shiplap Cladding  
Cover Joint



**679**  
100mm  
Open V Cladding  
Cover Joint

## Cladding 670 and 671 Accessories



**680**  
2 Part  
Corner Trim



**681**  
2 Part  
Universal Trim



**682**  
Universal  
Channel Trim



**683**  
Starter Trim with  
Batten Cover



## Kavex Range Textured Cladding



**DCE/150**  
150mm  
Textured Shiplap



**DCE/300**  
300mm  
Double Textured  
Cladding

## Kavex Range Textured Cladding




**DFE/270**  
270mm Double Textured  
Feather Edge Cladding



**SVE/150**  
150mm - Textured  
V-Joint Cladding

## Kavex Range Textured Trim



**TEXTRIM/100**  
100 x 9mm Textured Trim



# Cladding Trims & Fixings

## ☐ Kavex Range

### Accessories



**5501**  
Universal  
Channel

**5504**  
Starter Trim with  
Batten Cover

**5505**  
2 Part Top  
Edge Trim

## ☐ Kavex Range

### Accessories



**5506**  
Drip Trim


**5507**  
2 Part  
Universal Trim

**5510**  
Wall Starter  
Trim

**5509**  
2 Part Centre  
Joint Trim

## ☐ Kavex Range

### Accessories



**5513**  
2 Part Int/Ext  
Corner Trim

**5516**  
Universal Trim  
with Edge Cover

**DCE/JNT2**  
300mm textured  
cover joint for  
DCE/300

**DFE/JNT2**  
270mm textured  
cover joint or  
DFE/270

## ☐ Fixings Range



**SS-65N**  
65mm Plastic  
Headed Nail  
10G

**SS-40N**  
40mm Plastic  
Headed Nail  
10G

**SS-50N**  
50mm Plastic  
Headed Nail  
10G

**SS-40P**  
40mm Plastic  
Headed Pin  
14G

**SS-30-CP**  
30mm  
Cladding Pin  
14G

# Swatch



Please call customer services on  
**01724 400500** for a colour swatch.

## Whites



Brilliant White - BW

Kestrel has taken great care to provide images as close as possible to the actual foil and colour pvc used in the manufacturing process. However, colour variation may occur due to print process of this document.

Whites: Finish will vary from catalogue, please request sample

## Solid Colours



Black - BL



Cream - 9001



Anthracite Grey - 7016

# Swatch

## Smoothgrain



Anthracite  
Smooth Grey  
ASG



Slate Smooth Grey  
SSG



Agate Grey  
GAG



Black Smooth  
BKS

## Premiergrains\*



Whitegrain  
WHG



Creamgrain  
CRG



Irish Oak  
IOG



Anthracite Grey  
AGG

## Premiergrain+



Sage  
SAG



Pebble Grey  
PGG



Claystone  
CSG



Chartwell Green  
CGG

## Woodgrains




Mahogany  
WG



Rosewood  
PG




Blackgrain  
BG



Sherwood  
SG



## ↘ Kavex Range



White  
W




Sand  
1015



Light Grey  
7035



Cream  
9001



Light Blue  
X002



\*Premiergrains up to three weeks lead time

# Decking


## Decking

### Range

- A great range of practical PVC decking boards with a stylish, traditional woodgrain effect pattern.
- Our boards are designed to be tough and durable, allowing you to enjoy your garden with confidence.
- The board's satin finish is embossed for good slip resistance and the surface is easy to clean, giving you a stress free, low maintenance outdoor area to enjoy.
- DekBoard has a great range of contemporary and neutral colours that go well with any settings and truly complement our balustrade range.



Available in the following colours:



Product Code.	Description	Pack Qty	LO	DO	MG	DW	LN	AG
DDBP4902	145mm x 25mm x 4.902m Decking Plank	1 x 4.902m	●	●	●	●	●	●
DDBPLUS4902	195mm x 25mm x 4.902m Decking Plank	1 x 4.902m					●	



### IMPORTANT!

A deck height of up to 300mm is considered a 'Permitted Development' where there is no requirement for Planning Permission. Decks above 300mm require Planning Permission.

## Decking

### Accessories

- Finishing trims for the decking boards.
- Infill Trim - This trim clips neatly into the exposed outer edge of the board and can be used along the appropriate edge of the deck or along the front edge of the step.
- D Trim - A great looking, heavy duty profile that is used to cover exposed ends of the board around the edge of the deck. This will provide an all-round neater finish for DIYers.
- D Joint - D Joint is used to join boards linear or when boards meet at an angle to each other.
- D Edge Trim - D Edge Trim can be used as an alternative to DTRIM or step tread ends.




Available in the following colours:



Product Code.	Description	Pack Qty	LO	DO	MG	DW	LN	AG
DINFILL3000	Infill Trim - 3.0m	10 x 3m	●	●	●	●	●	●
DDTRIM4902	D Trim - 4.902m	10 x 4.902m	●	●	●	●	●	●
DJOINT4902	H Section Joint Trim - 4.902m	10 x 4.902m	●	●	●	●	●	●
DEDGE4902	Edge Trim - 4.902m	10 x 4.902m	●	●	●	●	●	●

**TIP**  
Install trims with short edge to top

\*MTO and MOGs.



D TRIM

JOINT TRIM

EDGE TRIM /INFILL TRIM


## ↘ Fascia / Skirting

- Fascia is designed to be used to cover exposed deck timbers at ground level.

150mm x 25mm FASCIA



Available in the following colours:



Anthracite Grey AG    White W    Golden Oak GO

**NOTE:** Foiled AG and GO fascia is only part foiled, covering 1x 150mm face, 2x 25mm faces and part of 150mm face.

Product Code.	Description	Pack Qty	AG	W	GO
DPICK64876	145mm x 25mm x 4.902m Decking Plank	2 x 4.876m	●	●	
DDPLUS4902	150mm x 25mm Fascia or Skirt Foiled 3 faces	2 x 4.876m	●		●

## ↘ Balustrade Kits

- Balustrade kits are designed to be used in conjunction with post sleeve kits.
- A balustrade kit contains all the elements required for a 1828mm (6ft) span.
- These kits are then fastened to post sleeve kits; see post sleeve kits.
- Balustrade routed for square picket orientation.




30mm Countersunk Wood Screw



19mm Reinforcement Screws



Available in the following colours:



Anthracite Grey AG    White W    Golden Oak GO

Product Code.	Description	Pack Qty	AG	W	GO
DKHS1828	<b>Balustrade Kit - 1828mm (6ft)</b> Items included in the kit:- 1 x 1828mm Top Handrail 1 x 1828mm Bottom rail 2 x Top Handrail Brackets 2 x Bottom Handrail Brackets 2 x 1828mm Steel J Channel Rail Reinforcement 1 x Bottom Rail Foot Block 14 x 945mm x 32mm Pickets 16 x Fixing Kit 30mm Countersunk Wood Screw 13 x 4.8mm x 19mm Reinforcement Screws	1 ea	●	●	●

### IMPORTANT!


The Balustrade Kits have a balustrade height of 1m and the balustrade is suitable for decks with a deck surface of up to 300mm above the ground. A deck height of up to 300mm is considered a 'Permitted Development' where there is no requirement for Planning Permission. Decks above 300mm required Planning Permission and the Balustrade Kits are not designed to suit this application.

**NOTE:** It is essential that a minimum 10mm continuous ventilation gap is provided underneath the base of the deck, providing thorough ventilation.


# Decking

## Post Sleeve Kits

A full height timber post will be required as re-inforcement for the post sleeve kit.



Available in the following colours:



Product Code.	Description	Pack Qty	AG	W	GO
DKP001	<b>Single Post Sleeve Kit</b> - Items included in the kit:- 1 x 1828mm - 102mm x 102mm Post Sleeve 1 x Post Cap 1 x Post Skirt	1 ea	●	●	●
DKP002	<b>Double Post Sleeve Kit</b> - Items included in the kit:- 2 x 1828mm - 102mm x 102mm Post Sleeve 2 x Post Cap 2 x Post Skirt	1 ea	●	●	●

## Gate Kits

DKG002

Our standard gate is 960mm wide and suitable for a 1m opening between Posts.

The 40mm gap allows for the fixing of hardware.


To install:

- Leave 40mm for latch and hinges.
- Install gate top level with balustrade top
- Hinges are positioned inside rail brackets



Please call 01724 400500 to enquire about alternative sizes

Available in the following colours:



Product Code.	Description	Pack Qty	AG	W	GO
DKG002	<b>Gate Kit - 1</b> Items included in the kit:- Standard Gate 960mm Wide x 950mm High Self Close Hinge Black - Pack of 2 Latch & Lock Black	1	●	●	●

Gate pickets are routed square



Square Pickets



Self Close Hinge Black

Pair of self-closing hinges to ensure that the gate always returns to a closed position. Super strong engineering polymer, stainless steel construction and adjustable tension.



Latch & Lock Black

Single side secure, key-lockable latch. Adjusts horizontally and vertically to account for any gate movement.



## Post to Sub-frame Fixing Kit

Post to sub-frame fixing kits are available to help secure the vertical deck posts to the sub-frame.

This in turn gives a secure base to fix the balustrade kits.

SUB-FRAME BRACKET



COACH BOLT



PAN HEAD SCREW



Available in the following colours:



Stainless Steel

## Decking Fixings & Accessories

Clips and screw to fit decking to the sub-frame.

Touch up pens allow rectification to foiled components

DTCLIP250



DWSCREW30



DBPEN



Available in the following colours:



Anthracite Grey AG




Golden Oak GO

Available in the following colours:



Stainless Steel

Product Code.	Description	Pack Qty	Stainless Steel
DKF001	<b>Post to Subframe Fixing Kit</b> Items included in the kit:- 4 x Sub Frame Bracket - Stainless Steel 8 x 100mm Coach Bolts - Stainless Steel 32 x 40mm Pan Head Wood Screws - Stainless Steel	1 ea	●



Fix bracket to post/post sleeve & sub-frame

Product Code.	Description	Pack Qty	Stainless Steel
DKF001	Deck T Clip - 250 Stainless Steel	250 box	●
DKF001	30mm Deck clip screw - Stainless Steel	1000 box	●

### Touch Up Pens

Product Code.	Description	Pack Qty	Anthracite Grey	Golden Oak
DBPEN	Touch Up Pen	1 ea	●	●

Please visit the DekBoard website for Maintenance and Aftercare Guidance. [dekboard.co.uk](http://dekboard.co.uk)